

Application No. 10/823,536  
Amendment dated April 26, 2007  
Reply to Office Action of January 26, 2007

Docket No.: 0941-0945PUS1

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently Amended) A method for music analysis comprising the steps of:  
acquiring a music soundtrack;  
re-sampling an audio stream of the music soundtrack so that the re-sampled audio stream is composed of blocks;  
applying Fourier Transformation to each of the blocks;  
deriving a first vector from each of the transformed blocks, wherein components of the first vector are energy summations of the block within a plurality of first sub-bands;  
applying auto-correlation to each sequence composed of the components of the first vectors of all the blocks in the same first sub-band using a plurality of tempo values, wherein, for each sequence, a largest correlation result is identified as a confidence value and the tempo value generating the largest correlation result is identified as an estimated tempo; [[and]]  
comparing the confidence values of all the sequences to identify the estimated tempo corresponding to the largest confidence value as a final estimated tempo; and  
aligning the soundtrack with image transition using indices yielded from music analysis based on the final estimated tempo.

Application No. 10/823,536  
 Amendment dated April 26, 2007  
 Reply to Office Action of January 26, 2007

Docket No.: 0941-0945PUS1

2. (Previously Presented) The method as claimed in claim 1 further comprising the step of:

deriving a second vector from each of the transformed blocks, wherein components of the second vector are energy summations of the block within a plurality of second sub-bands; and  
 detecting micro-changes using the second vectors.

3. (Previously Presented) The method as claimed in claim 2, wherein, for each block, a micro-change value which is a sum of differences between the second vectors of the block and previous blocks is calculated.

4. (Previously Presented) The method as claimed in claim 3, wherein each micro-change value is derived by the following equation:

$$MV_{(n)} = \text{Sum}(\text{Diff}(V2_{(n)}, V2_{(n-1)}), \text{Diff}(V2_{(n)}, V2_{(n-2)}), \text{Diff}(V2_{(n)}, V2_{(n-3)}), \text{Diff}(V2_{(n)}, V2_{(n-4)})),$$

where  $MV_{(n)}$  is the micro-change value of the  $n$ th block,  $V2_{(n)}$  is the second vector of the  $n$ th block,  $V2_{(n-1)}$  is the second vector of the  $(n-1)$ th block,  $V2_{(n-2)}$  is the second vector of the  $(n-2)$ th block,  $V2_{(n-3)}$  is the second vector of the  $(n-3)$ th block and  $V2_{(n-4)}$  is the second vector of the  $(n-4)$ th block.

5. (Previously Presented) The method as claimed in claim 4, wherein the difference between two of the second vectors is a difference of amplitudes thereof.

Application No. 10/823,536  
Amendment dated April 26, 2007  
Reply to Office Action of January 26, 2007

Docket No.: 0941-0945PUS1

6. (Previously Presented) The method as claimed in claim 5, wherein the micro-change values are compared to a predetermined threshold, and the blocks having the micro-change values larger than the threshold are identified as micro-changes.

7. (Previously Presented) The method as claimed in claim 6, wherein the second sub-bands are [0Hz, 1100Hz], [1100Hz, 2500Hz], [2500Hz, 5500Hz] and [5500Hz, 11000Hz].

8. (Previously Presented) The method as claimed in claim 6, wherein the second sub-bands are determined by user input.

9. (Previously Presented) The method as claimed in claim 1 further comprising the step of filtering the sequences before application of auto-correlation, wherein only the components having amplitudes larger than a predetermined value are left unchanged while the others are set to zero.

10. (Previously Presented) The method as claimed in claim 1, wherein the audio stream is re-sampled by the steps of dividing the audio stream into chunks and joining two adjacent chunks into one block so that the blocks have samples overlapping with each other.

11. (Previously Presented) The method as claimed in claim 10, wherein the number of the samples in one chunk is 256.

Application No. 10/823,536  
Amendment dated April 26, 2007  
Reply to Office Action of January 26, 2007

Docket No.: 0941-0945PUS1

12. (Previously Presented) The method as claimed in claim 1, wherein the energy summation of the nth block within the ith sub-band is derived from the following equation:

$$A_i(n) = \sqrt{\sum_{k=L_i}^{H_i} a(n,k)},$$

where  $L_i$  and  $H_i$  are lower and upper bounds of the ith sub-band, and  $a(n,k)$  is an energy value (amplitude) of the nth block at a frequency  $k$ .

13. (Previously Presented) The method as claimed in claim 1, wherein the first sub-bands are [0Hz, 125Hz], [125Hz, 250Hz] and [250Hz, 500Hz].

14. (Previously Presented) The method as claimed in claim 1, wherein the first sub-bands are determined by user input.

15. (Previously Presented) The method as claimed in claim 1 further comprising the step of determining beat onsets of the music soundtrack using the final estimated tempo.

16. (Previously Presented) The method as claimed in claim 15, wherein the beat onsets are determined by the steps of:

a) identifying a maximum peak in the sequence of the sub-band whose estimated tempo is the final estimated tempo;

Application No. 10/823,536  
Amendment dated April 26, 2007  
Reply to Office Action of January 26, 2007

Docket No.: 0941-0945PUS1

- b) deleting neighbors of the maximum peak within a range of the final estimated tempo;
  - c) identifying a next maximum peak in the sequence; and
  - d) repeating the steps b) and c) until no more peak is identified;
- wherein all the identified peaks are the beat onsets.